

MATERIAL SAFETY DATA SHEET

Sold by:
University Products
517 Main Street,
Holyoke, MA 01041

Manufactured in Japan:
7-131-3Kawanoishi, Honai-cho, Nishiuwa-gun,
Ehime-ken, JAPAN 796-0201
Phone: (81)(894)36-0529 Fax: (81)(894)36-1207

ART SORB

857-0016, 857-1919, 857-1454

Effective Date: September 1 2009

1. Product Identification

Synonyms: Silica, Amorphous; Silicic Acid; Amorphous Silicon
Dioxide, Lithium Chloride

2. Composition/Information on Ingredients

Ingredient	CAS No
Silica, Amorphous: SiO ²	7631-86-9
Lithium Chloride: LiCl	7447-41-8

3. Hazards Identification

GHS classification

Physicochemical hazards

Explosives	out of classification
Flammable/flammable gas	out of classification
Flammable/flammable aerosol	out of classification
Oxidizing gas	out of classification
Compressed gas	out of classification
Flammable liquid	out of classification
Flammable solid	out of category
Self-reactive substance	out of classification
Pyrophoric liquid	out of classification
Pyrophoric solid	out of category
Self-heating substance	out of category
Substance which, in contact with water, emits flammable gases	out of category
Oxidizing liquid	out of classification
Oxidizing solid	can not be classified

Organic peroxide	out of classification
Corrosive to metal substance	can not be classified
Health hazards	
Acute toxicity (ingestion)	out of category
Acute toxicity (skin)	out of category
Acute toxicity (inhalation/gas)	out of classification
Acute toxicity (inhalation/vapor)	out of classification
Acute toxicity (inhalation/dust)	can not be classified
Acute toxicity (inhalation/mist)	can not be classified
Skin corrosive/irritation	out of category
Serious eye damage/eye irritation	category 2B
Respiratory sensitizer	can not be classified
Skin sensitizer	can not be classified
Generative cell mutagen	out of category
Carcinogen	out of category
Reproductive toxicity	can not be classified
Specific target organ systemic toxicity (single exposure)	can not be classified
Specific target organ systemic toxicity (repetition exposure)	can not be classified
Aspiration hazards	can not be classified
Environmental hazards	
Hazardous to the aquatic environment	acute toxicity can not be classified
Hazardous to the aquatic environment	chronic toxicity can not be classified

Emergency Overview

AFFECTS RESPIRATORY SYSTEM. CAUSES IRRITATION TO EYES.

Potential Health Effects

Inhalation:

May cause dryness and irritation to mucous membranes, nose, and throat. Symptoms may include coughing, sore throat, dyspnea, wheezing, and non-specific chest illnesses.

Ingestion:

No adverse effects expected.

Skin Contact:

May cause skin irritation with dryness and abrasion.

Eye Contact:

Causes irritation, redness, and pain.

Chronic Exposure:

Repeated exposure may cause symptoms similar to the effects on the above.

Aggravation of Pre-existing Conditions:


No information found.

NFPA Rating (Scale 0 – 4)



Health = 1
Fire = 0
Reactivity = 0

HMIS Rating (Scale 0 – 4)



Health = 1
Fire = 0
Reactivity = 0

4. First Aid Measures

Inhalation:

Remove to fresh air. Get medical attention for any breathing difficulty.

Ingestion:

Give several glasses of water to drink to dilute. If large amounts were swallowed, get medical advice.

Skin Contact:

Wash exposed area with soap and water. Get medical advice if irritation develops.

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

5. Fire Fighting Measures

Fire : Not considered to be a fire hazard.

Explosion : Not considered to be an explosion hazard.

Fire Extinguishing Media:

Use any means suitable for extinguishing surrounding fire.

Special Information:

Use protective clothing and breathing equipment appropriate for the surrounding fire.

6. Accidental Release Measures

If its use requires manual handling, wear long sleeves and close-weave cotton glove with tight-fitting wristlets. An approved dust mask should be worn if dust is generated during handling. Sweep or preferably vacuum up and collect in suitable containers for recovery or disposal.

7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Take precautions a static electric spark. Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

Amorphous Silica:

- OSHA Silica gel – PEL – $80\text{mg}/\text{m}^3$ /%SiO₂
- ACGIH Threshold Limit Value (TLV): 10 mg/m³ (TWA) inhalable particulate; 3 mg/m³ (TWA) respirable particulate.

Lithium Chloride:

No OSHA vacated PELs are listed for this chemical.

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

Personal Respirators:

If its use requires manual handling, wear long sleeves and close-weave cotton gloves with tight-fitting wristlets. If dusty conditions prevail, use of an approved NIOSH/MSHA dust respirator is recommended. Wear goggles if dust causes eye discomfort

Skin Protection:

Wear protective gloves and clean body-covering clothing.

Eye Protection:

Use chemical safety goggles and/or full face shield where dusting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.

9. Physical and Chemical Properties

Appearance	: Dry, white Bead
Odor	: Odorless.
Solubility	: Silica Gel: Insoluble
Boiling Point	: 2230 deg. C as a Silica gel
Melting Point	: 1610 deg. C as a Silica gel

10. Stability and Reactivity

Stability: Stable under ordinary conditions of use and storage.

Hazardous Decomposition Products:

No information found.

Hazardous Polymerization:

Will not occur.

Incompatibilities:

Hydrogen fluoride, fluorine, xenon hexafluoride, oxygen difluoride, and chlorine trifluoride.

Conditions to Avoid:

Heat, flame, ignition sources, dusting, moisture and incompatibles.

11. Toxicological Information

ANIMAL TOXICOLOGY:

No information found.

-----Cancer Lists-----

Ingredient	IARC Category	
Silica, Amorphous (7631-86-9)		3

12. Ecological Information

Environmental Fate : No information found.

Environmental Toxicity : No information found.

13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. Transport Information

Not regulated.

15. Regulatory Information

U.S. Federal Regulations

TSCA 8 (b) inventory: SILICA GEL

WHMIS (Canada)
WHMIS (Canada)

Not controlled under

CEPA DSL: SILICA GEL

International regulations

EINECS

DSCL (EEC)

International Lists

SILICA GEL 231-545-4

R36/37/38-Irritating to eyes, respiratory system and skin.

Australia (NICNAS): SILICA GEL

Japan (MITI): SILICA GEL

Korea (TCCL): SILICA GEL

Philippines (RA6969): SILICA GEL

China: No products were found

16. Other Information

Fuji Silysia Chemical Ltd. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. FUJI SILYSIA CHEMICAL LTD. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, FUJI SILYSIA CHEMICAL LTD. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.