

FILM WORKS, AUDIO TAPES AND REELS

TO OFFER PROFESSIONALS A STATE-OF-THE-ART
SYSTEM TO PRESERVE FILM AND AUDIO ALIKE

analog
preservation
STIL
CASING SOLUTION

76 ST-PAUL. SUITE 301 QUEBEC.QC.CANADA G1K 3V9
P 418.694.0449 **FAX** 418.694.1621 **1.888.414.0449**

STILCASING.COM

STIL® CASING SOLUTION

// COMPANY

Being for the preservation of film works, audio tapes or digital data, STIL® Casing Solution has a solution for each medium.


The products of the company are the result of many years of research and experiments in the field with the help of archivists and preservation technicians. At the end, we have been able to put together a state of the art preservation system for all media.

STIL® Casing Solutions' clientele is in constant growth, now over 350 clients in 23 countries. The clientele consists of major film studios, universities, film labs and post-production services as well as private or public institutions, government agencies, national, international or multinational corporations.

20TH CENTURY FOX CBC SRC YALE UNIVERSITY
ABC NEWS **COCA-COLA** HARVARD UNIVERSITY
LUCAS FILMS *PARAMOUNT PICTURES* ONF/NFB **BOEING**
NFL **INA** NATIONAL GEOGRAPHIC
PRODUCTIONS *The Olympic Museum* US AIR FORCE

A SUPERIOR CASING WITH INNOVATIVE ATTRIBUTES

/ ANALOG PRESERVATION



Enclosure for an optical disk,
for any type of digital media

Inert polypropylene
resilient to lab's perk

Better venting,
through wide opening

Platforms
to protect the film spires

analog
preservation
STIL
CASING SOLUTION

418.694.0449 / STILCASING.COM

LONG-LASTING SOLUTIONS

The Analog Media Preservation container was designed with the best criteria for preservation available, to answer the needs of the audio and film industry. The cans are vented: the gases produced by the degradation of the film base are evacuated and the Vinegar Syndrome should not develop in them if the film was in a proper condition when put in.

// PROTECTS AND PRESERVES

100% prime polypropylene

Designed allowing ventilation

They cannot be water soaked

The cans are stackable, interlocking and they don't open only by dropping them

STIL® casing answering to the standards drawn by ANSI, AIIN and SMPTE.

OPTIONAL PRODUCTS

*Option

available colors
useful to codify your
different departments



*Option

Personalize your case by
adding your logo

*Option

white labels insures a clear
and reliable identification

Core

Hub

prevents the lateral
sliding of your film

analog
preservation
STIL
CASING SOLUTION

OPTIONAL PRODUCTS

// HUB

Designed to prevent the lateral sliding during transportation.

Used to hold an audio reel of 10".

Made of polypropylene.

Black is the only available color.

Size for 1200 ft and 2000 ft containers.

// CORE

Resilient, does not deteriorate.

Made of polypropylene, resistant to acids and bases.

Size : 3 in.

Blue is the only color available.

// LABEL

Made of vinyl, resistant to acid.

Adherence resistance to temperatures between -190°C and 125°C.

Can be peeled off and replaced easily.

Compatible with regular laser printers.


Possibility of permanently identifying the label with your logo.

Personalized dimensions available.

Also available in a roll for thermal printers.



VENTED CONTAINER



Effective ventilation

enables complete
air circulation

Low pressure

High pressure

TECHNOLOGY

The analog media preservation vented container was designed to answer the needs of the audio and film industry.

The cans are made of 100% prime polypropylene, inert to acids and bases.

The containers are interlocking, made possible by the venting chimneys.

Inside the container, the film pancake sits on platforms :

1. This gives you uniform ventilation over and under the film.
 2. The platforms protect the perforations along side the film to prevent indentations that could happen with ridges or web type bottoms.
-

In the lid, flanking the edge, are stoppers that prevent the lid to crush the film or simply touch the film when a can is at the bottom of the column.

Ventilation is made by a low pressure created inside the container wich wants to equilibrate itself with the outside high pressure, this creates air movement.

The large openings of the chimneys help for better air circulation and stop by their design water and dust penetration.

AVAILABLE SIZES & DIMENSIONS

// STIL® 16MM FILM CONTAINER

ITEM #	DIMENSIONS INTERIOR / THICKNESS	DIMENSIONS EXTERIOR / THICKNESS	CAN / CARTON	CARTONS / SKID
STIL-AP16400 16mm/400ft (120m)	7.01 in. / 0.98 in.	7.64 in. / 1.11 in.	40	60
STIL-AP16800 16mm/800ft (240m)	9.25 in. / 0.98 in.	9.88 in. / 1.11 in.	18	56
STIL-AP161200 16mm/1200ft (360m)	11.22 in. / 0.98 in.	12.01 in. / 1.08 in.	18	48
STIL-AP161200CDDVD 16mm/1200ft (enclosure)	11.22 in. / 0.98 in.	12.01 in. / 1.17 in.	17	48
STIL-AP162000 16mm/2000ft (600m)	14.17 in. / 0.98 in.	14.96 in. / 1.10 in.	20	30
STIL-AP162000CDDVD 16mm/2000ft (enclosure)	14.17 in. / 0.98 in.	14.96 in. / 1.14 in.	20	30

// STIL® 35MM FILM CONTAINER

STIL-AP351000 35mm/1000ft (300m)	10.24 in. / 1.54 in.	11.02 in. / 1.81 in.	10	56
STIL-AP351200 35mm/1200ft (360m)	11.06 in. / 1.73 in.	12.01 in. / 1.83 in.	10	48
STIL-AP352000 35mm/2000ft (600m)	14.17 in. / 1.54 in.	14.96 in. / 1.81 in.	12	30
STIL-AP353000 35mm/3000ft (900m)	17.13 in. / 1.54 in.	17.95 in. / 1.85 in.	12	16

AVAILABLE SIZES & DIMENSIONS

// STIL® CORES AND HUBS

ITEM #	EXTERIOR DIMENSIONS / THICKNESS	UNIT / CARTON	CARTONS / SKIDS
STIL-CO163 Core 16mm / 3 inches	3 in. / 1.81 in.	300	36
STIL-CO353 Core 35mm / 3 inches	3 in. / 1.89 in.	150	36
STIL-HB1200 Hub 1200ft (360m)	11.02 in. / 1.81 in.	25	56
STIL-HB2000 Hub 2000ft (600m)	12.01 in. / 1.89 in.	50	30

// LABELS

ITEM #	DESCRIPTION	ITEMS / PACKAGING	MINIMUM ORDER
STIL-CL18	White labels for 16mm container, laser printer	192 per packet	3 packets
STIL-CL18T	White labels for 16mm container, thermal printer	500 per roll	1 roll
STIL-CL19	White labels for 35mm container, laser printer	144 per packet	3 packets
STIL-CL19T	White labels for 35mm container, thermal printer	500 per roll	1 roll

CONTACT

// GENERAL INFORMATION

Phone: 418.694.0449 ext. 10

E-mail: info@stilcasing.com

// SALES AND CUSTOMER SERVICE

Phone: 418.694.0449 ext. 11

E-mail: sales@stilcasing.com

// ADMINISTRATION

Phone: 418.694.0449 ext. 12

E-mail: admin@stilcasing.com

// ADDRESS

76 St-Paul. Suite 301

Quebec.QC.Canada G1K 3V9

Toll free: 888.414.0449 (Canada & USA)

Fax: 418.694.1621

Web site: www.stilcasing.com

analog
preservation

STIL
CASING SOLUTION